



گروه صنعتی آریاسهند تبریز
Arla Sahand Tabriz Industrial Group

اطلاعات فنی

انواع محصولات
لوله، قوطی، پروفیل و بیضی
سبک روغنی



Producer of Crc Light Tubes,
Profiles and Oval Profiles





Manufactured Products Metal Pipe



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	Ø 8*40	0.459225	6	510	234
2	Ø 8*50	0.576975	6	510	294
3	Ø 8*60	0.694725	6	510	354
4	Ø 8*70	0.8007	6	510	408
5	Ø 8*80	0.91845	6	510	468
6	Ø 8*90	1.0362	6	510	528
7	Ø 8*1.0	1.15395	6	510	589
8	Ø 10*40	0.569439	6	510	290
9	Ø 10*50	0.715449	6	510	365
10	Ø 10*60	0.861459	6	510	439
11	Ø 10*70	0.992868	6	510	506
12	Ø 10*80	1.138878	6	510	581
13	Ø 10*90	1.284888	6	510	655
14	Ø 10*1.0	1.430898	6	510	730
15	Ø 10*1.25	1.73799	6	510	886
16	Ø 10*1.50	1.680057	6	510	857
17	Ø 12*40	0.679653	6	331	225
18	Ø 12*50	0.853923	6	331	283
19	Ø 12*60	1.028193	6	331	340
20	Ø 12*70	1.185036	6	331	392
21	Ø 12*80	1.359306	6	331	450
22	Ø 12*90	1.533576	6	331	508
23	Ø 12*1.0	1.707846	6	331	565
24	Ø 12*1.25	2.085588	6	331	690
25	Ø 12*1.50	2.509488	6	331	831
26	Ø 13*40	0.73476	6	331	243
27	Ø 13*50	0.92316	6	331	306
28	Ø 13*60	1.11156	6	331	368
29	Ø 13*70	1.28112	6	331	424
30	Ø 13*80	1.46952	6	331	486
31	Ø 13*90	1.65792	6	331	549
32	Ø 13*1.0	1.84632	6	331	611
33	Ø 13*1.25	2.259387	6	331	748
34	Ø 13*1.50	2.718612	6	331	900
35	Ø 14*40	0.789867	6	331	261
36	Ø 14*50	0.992397	6	331	328
37	Ø 14*60	1.194927	6	331	396
38	Ø 14*70	1.377204	6	331	456
39	Ø 14*80	1.579734	6	331	523
40	Ø 14*90	1.782264	6	331	590
41	Ø 14*1.0	1.984794	6	331	657
42	Ø 14*1.25	2.433186	6	331	805

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
43	Ø 14*1.5	2.927736	6	331	969
44	Ø 16*40	0.91845	6	331	304
45	Ø 16*50	1.15395	6	331	382
46	Ø 16*60	1.38945	6	331	460
47	Ø 16*70	1.6014	6	331	530
48	Ø 16*80	1.8369	6	331	608
49	Ø 16*90	2.0724	6	331	686
50	Ø 16*1.0	2.3079	6	331	764
51	Ø 16*1.25	2.838717	6	331	940
52	Ø 16*1.5	3.415692	6	331	1,131
53	Ø 16*2.0	4.5216	6	331	1,497
54	Ø 18*40	1.002288	6	331	332
55	Ø 18*50	1.266048	6	331	419
56	Ø 18*60	1.529808	6	331	506
57	Ø 18*70	1.793568	6	331	594
58	Ø 18*80	2.057328	6	331	681
59	Ø 18*90	2.321088	6	331	768
60	Ø 18*1.0	2.584848	6	331	856
61	Ø 18*1.25	3.186315	6	331	1,055
62	Ø 18*1.50	3.83394	6	331	1,269
63	Ø 18*2.0	5.035932	6	331	1,667
64	Ø 19*40	1.07388	6	331	355
65	Ø 19*50	1.35648	6	331	449
66	Ø 19*60	1.63908	6	331	543
67	Ø 19*70	1.92168	6	331	636
68	Ø 19*80	2.20428	6	331	730
69	Ø 19*90	2.48688	6	331	823
70	Ø 19*1.0	2.76948	6	331	917
71	Ø 19*1.25	3.533913	6	331	1,170
72	Ø 19*1.50	4.252188	6	331	1,407
73	Ø 19*2.0	5.59548	6	331	1,852
74	Ø 19.5*40	1.109676	6	271	301
75	Ø 19.5*50	1.401696	6	271	380
76	Ø 19.5*60	1.693716	6	271	459
77	Ø 19.5*70	1.985736	6	271	538
78	Ø 19.5*80	2.277756	6	271	617
79	Ø 19.5*90	2.569776	6	271	696
80	Ø 19.5*1.0	2.861796	6	271	776
81	Ø 19.5*1.25	3.533913	6	271	958
82	Ø 19.5*1.5	4.252188	6	271	1,152
83	Ø 19.5*2.0	5.59548	6	271	1,516
84	Ø 20*40	1.127574	6	271	306



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
85	∅ 20*50	1.424304	6	271	386
86	∅ 20*60	1.721034	6	271	466
87	∅ 20*70	2.017764	6	271	547
88	∅ 20*80	2.314494	6	271	627
89	∅ 20*90	2.611224	6	271	708
90	∅ 20*1.0	2.907954	6	271	788
91	∅ 20*1.25	3.591846	6	271	973
92	∅ 20*1.50	4.321896	6	271	1,171
93	∅ 20*2.0	5.688738	6	271	1,542
94	∅ 22*40	1.234962	6	217	268
95	∅ 22*50	1.559952	6	217	339
96	∅ 22*60	1.884942	6	217	409
97	∅ 22*70	2.209932	6	217	480
98	∅ 22*80	2.534922	6	217	550
99	∅ 22*90	2.859912	6	217	621
100	∅ 22*1.0	3.184902	6	217	691
101	∅ 22*1.25	3.939444	6	217	855
102	∅ 22*1.50	4.740144	6	217	1,029
103	∅ 22*2.0	6.248286	6	217	1,356
104	∅ 25*50	1.786032	6	169	302
105	∅ 25*60	2.195331	6	169	371
106	∅ 25*70	2.530212	6	169	428
107	∅ 25*80	2.902302	6	169	490
108	∅ 25*90	3.274392	6	169	553
109	∅ 25*1.0	3.646482	6	169	616
110	∅ 25*1.25	4.518774	6	169	764
111	∅ 25*1.5	5.437224	6	169	919
112	∅ 25*2.0	7.180866	6	169	1,214
113	∅ 28*50	1.989504	6	127	253
114	∅ 28*60	2.403984	6	127	305
115	∅ 28*70	2.818464	6	127	358
116	∅ 28*80	3.232944	6	127	411
117	∅ 28*90	3.647424	6	127	463
118	∅ 28*1.0	4.061904	6	127	516
119	∅ 28*1.25	5.040171	6	127	640
120	∅ 28*1.5	6.064596	6	127	770
121	∅ 28*2.0	8.1012	6	127	1,029
122	∅ 30*50	2.125152	6	127	270
123	∅ 30*60	2.567892	6	127	326
124	∅ 30*70	3.010632	6	127	382
125	∅ 30*80	3.453372	6	127	439
126	∅ 30*90	3.896112	6	127	495

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
127	∅ 30*1.0	4.338852	6	127	551
128	∅ 30*1.25	5.387769	6	127	684
129	∅ 30*1.5	6.482844	6	127	823
130	∅ 30*2.0	8.6664	6	127	1,101
131	∅ 32*60	2.7789	6	127	353
132	∅ 32*70	3.2499	6	127	413
133	∅ 32*80	3.7209	6	127	473
134	∅ 32*90	4.1919	6	127	532
135	∅ 32*1.0	4.6629	6	127	592
136	∅ 32*1.25	5.781996	6	127	734
137	∅ 32*1.5	6.947721	6	127	882
138	∅ 32*2.0	6.877542	6	127	873
139	∅ 35*60	3.05679	6	127	388
140	∅ 35*70	3.57489	6	127	454
141	∅ 35*80	4.09299	6	127	520
142	∅ 35*90	4.61109	6	127	586
143	∅ 35*1.0	5.12919	6	127	651
144	∅ 35*1.25	6.366036	6	127	808
145	∅ 35*1.50	7.649511	6	127	971
146	∅ 35*2.0	10.1736	6	127	1,292
147	∅ 38*60	3.306891	6	91	301
148	∅ 38*70	3.867381	6	91	352
149	∅ 38*80	4.427871	6	91	403
150	∅ 38*90	4.988361	6	91	454
151	∅ 38*1.0	5.548851	6	91	505
152	∅ 38*1.25	6.891672	6	91	627
153	∅ 38*1.50	8.281122	6	91	754
154	∅ 38*2.0	11.0214	6	91	1,003
155	∅ 40*60	3.473625	6	91	316
156	∅ 40*70	4.062375	6	91	370
157	∅ 40*80	4.651125	6	91	423
158	∅ 40*90	5.239875	6	91	477
159	∅ 40*1.0	5.828625	6	91	530
160	∅ 40*1.25	7.242096	6	91	659
161	∅ 40*1.50	8.702196	6	91	792
162	∅ 40*2.0	11.5866	6	91	1,054
163	∅ 42*60	3.640359	6	91	331
164	∅ 42*70	4.257369	6	91	387
165	∅ 42*80	4.874379	6	91	444
166	∅ 42*90	5.491389	6	91	500
167	∅ 42*1.0	6.108399	6	91	556
168	∅ 42*1.25	7.59252	6	91	691



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
169	∅ 42*1.50	9.12327	6	91	830
170	∅ 42*2.0	12.1518	6	91	1,106
171	∅ 45*60	3.918249	6	91	357
172	∅ 45*70	4.582359	6	91	417
173	∅ 45*80	5.246469	6	91	477
174	∅ 45*90	5.910579	6	91	538
175	∅ 45*1.0	6.574689	6	91	598
176	∅ 45*1.25	8.17656	6	91	744
177	∅ 45*1.50	9.82506	6	91	894
178	∅ 45*2.0	14.0358	6	91	1,277
179	∅ 48*60	4.196139	6	61	256
180	∅ 48*70	4.907349	6	61	299
181	∅ 48*80	5.618559	6	61	343
182	∅ 48*90	6.329769	6	61	386
183	∅ 48*1.0	7.040979	6	61	429
184	∅ 48*1.25	8.7606	6	61	534
185	∅ 48*1.50	10.52685	6	61	642
186	∅ 48*1.80	12.63222	6	61	771
187	∅ 48*2.0	14.0358	6	61	856
188	∅ 50*60	4.390662	6	61	268
189	∅ 50*70	5.134842	6	61	313
190	∅ 50*80	5.879022	6	61	359
191	∅ 50*90	6.623202	6	61	404
192	∅ 50*1.0	7.367382	6	61	449
193	∅ 50*1.25	9.169428	6	61	559
194	∅ 50*1.5	11.018103	6	61	672
195	∅ 50*1.8	13.22568	6	61	807
196	∅ 50*2.0	14.6952	6	61	896
197	∅ 51*60	4.44624	6	61	271
198	∅ 51*70	5.19984	6	61	317
199	∅ 51*80	5.95344	6	61	363
200	∅ 51*90	6.70704	6	61	409
201	∅ 51*1.0	7.46064	6	61	455
202	∅ 51*1.25	9.286236	6	61	566
203	∅ 51*1.50	11.158461	6	61	681
204	∅ 51*1.80	13.39524	6	61	817
205	∅ 51*2.0	14.7894	6	61	902
206	∅ 60*60	5.224332	6	61	319
207	∅ 60*70	6.109812	6	61	373
208	∅ 60*80	6.995292	6	61	427
209	∅ 60*90	7.880772	6	61	481
210	∅ 60*1.0	8.766252	6	61	535

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
211	∅ 60*1.25	10.921548	6	61	666
212	∅ 60*1.50	13.123473	6	61	801
213	∅ 60*1.80	15.76908	6	61	962
214	∅ 60*2.0	17.5212	6	61	1,069
215	∅ 76*0.7	7.84686	6	37	290
216	∅ 76*80	8.855742	6	37	328
217	∅ 76*90	9.976722	6	37	369
218	∅ 76*1.0	11.097702	6	37	411
219	∅ 76*1.25	13.841748	6	37	512
220	∅ 76*1.50	16.632423	6	37	615
221	∅ 76*1.80	20.00808	6	37	740
222	∅ 76*2.0	22.2312	6	37	823

Manufactured Products Metal Boxes



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	□ 10*10*40	0.73476	6	400	294
2	□ 10*10*50	0.92316	6	400	369
3	□ 10*10*60	1.11156	6	400	445
4	□ 10*10*70	1.28112	6	400	512
5	□ 10*10*80	1.46952	6	400	588
6	□ 10*10*90	1.65792	6	400	663
7	□ 10*10*1.0	1.84632	6	400	739
8	□ 10*10*1.25	2.241018	6	400	896
9	□ 10*10*1.50	2.700243	6	400	1,080
10	□ 10*20*50	1.333872	6	240	320
11	□ 10*20*60	1.611762	6	240	387
12	□ 10*20*70	1.889652	6	240	454
13	□ 10*20*80	2.167542	6	240	520
14	□ 10*20*90	2.445432	6	240	587
15	□ 10*20*1.0	2.723322	6	240	654
16	□ 10*20*1.25	3.332796	6	240	800
17	□ 10*20*1.50	4.015746	6	240	964
18	□ 15*15*50	1.333872	6	256	341
19	□ 15*15*60	1.611762	6	256	413
20	□ 15*15*70	1.889652	6	256	484
21	□ 15*15*80	2.167542	6	256	555
22	□ 15*15*90	2.445432	6	256	626
23	□ 15*15*1.0	2.723322	6	256	697
24	□ 15*15*1.25	3.332796	6	256	853
25	□ 15*15*1.50	4.015746	6	256	1,028
26	□ 10*25*50	1.559952	6	250	390
27	□ 10*25*60	1.884942	6	250	471
28	□ 10*25*70	2.209932	6	250	552



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
29	□ 10*25*80	2.534922	6	250	634
30	□ 10*25*90	2.859912	6	250	715
31	□ 10*25*1.0	3.184902	6	250	796
32	□ 10*25*1.25	3.907416	6	250	977
33	□ 10*25*1.50	4.708116	6	250	1,177
34	□ 10*30*60	2.158122	6	192	414
35	□ 10*30*70	2.530212	6	192	486
36	□ 10*30*80	2.902302	6	192	557
37	□ 10*30*90	3.274392	6	192	629
38	□ 10*30*1.0	3.646482	6	192	700
39	□ 10*30*1.25	4.482036	6	192	861
40	□ 10*30*1.50	5.400486	6	192	1,037
41	□ 20*20*60	2.158122	6	256	552
42	□ 20*20*70	2.530212	6	256	648
43	□ 20*20*80	2.902302	6	256	743
44	□ 20*20*90	3.274392	6	256	838
45	□ 20*20*1.0	3.646482	6	256	933
46	□ 20*20*1.25	4.482036	6	256	1,147
47	□ 20*20*1.50	5.400486	6	256	1,383
48	□ 20*20*2.0	7.274124	6	256	1,862
49	□ 25*25*50	2.2608	6	196	443
50	□ 25*25*60	2.7318	6	196	535
51	□ 25*25*70	3.2028	6	196	628
52	□ 25*25*80	3.6738	6	196	720
53	□ 25*25*90	4.1448	6	196	812
54	□ 25*25*1.0	4.6158	6	196	905
55	□ 25*25*1.25	5.631276	6	196	1,104
56	□ 25*25*1.50	6.785226	6	196	1,330
57	□ 25*25*2.0	9.2316	6	196	1,809
58	□ 20*30*50	2.2608	6	216	488
59	□ 20*30*60	2.7318	6	216	590
60	□ 20*30*70	3.2028	6	216	692
61	□ 20*30*80	3.6738	6	216	794
62	□ 20*30*90	4.1448	6	216	895
63	□ 20*30*1.0	4.6158	6	216	997
64	□ 20*30*1.25	5.631276	6	216	1,216
65	□ 20*30*1.50	6.785226	6	216	1,466
66	□ 20*30*2.0	9.2316	6	216	1,994
67	□ 30*30*60	3.250842	6	144	468
68	□ 30*30*70	3.811332	6	144	549
69	□ 30*30*80	4.371822	6	144	630
70	□ 30*30*90	4.932312	6	144	710
71	□ 30*30*1.0	5.492802	6	144	791
72	□ 30*30*1.25	6.780516	6	144	976
73	□ 30*30*1.50	8.169966	6	144	1,176
74	□ 30*30*2.0	11.1156	6	144	1,601
75	□ 20*40*60	3.250842	6	128	416
76	□ 20*40*70	3.811332	6	128	488

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
77	□ 20*40*80	4.371822	6	128	560
78	□ 20*40*90	4.932312	6	128	631
79	□ 20*40*1.0	5.492802	6	128	703
80	□ 20*40*1.25	6.780516	6	128	868
81	□ 20*40*1.50	8.169966	6	128	1,046
82	□ 20*40*2.0	11.1156	6	128	1,423
83	□ 40*40*60	4.316244	6	81	350
84	□ 40*40*70	5.060424	6	81	410
85	□ 40*40*80	5.804604	6	81	470
86	□ 40*40*90	6.548784	6	81	530
87	□ 40*40*1.0	7.292964	6	81	591
88	□ 40*40*1.25	9.021534	6	81	731
89	□ 40*40*1.50	10.870209	6	81	880
90	□ 40*40*2.0	14.7894	6	81	1,198
91	□ 20*60*60	4.316244	6	108	466
92	□ 20*60*70	5.060424	6	108	547
93	□ 20*60*80	5.804604	6	108	627
94	□ 20*60*90	6.548784	6	108	707
95	□ 20*60*1.0	7.292964	6	108	788
96	□ 20*60*1.25	9.021534	6	108	974
97	□ 20*60*1.50	10.870209	6	108	1,174
98	□ 20*60*2.0	14.7894	6	108	1,597
99	□ 25*50*60	4.070382	6	98	399
100	□ 25*50*70	4.772172	6	98	468
101	□ 25*50*80	5.473962	6	98	536
102	□ 25*50*90	6.175752	6	98	605
103	□ 25*50*1.0	6.877542	6	98	674
104	□ 25*50*1.25	8.504376	6	98	833
105	□ 25*50*1.50	10.247076	6	98	1,004
106	□ 25*50*2.0	13.9416	6	98	1,366
107	□ 30*50*60	4.316244	6	84	363
108	□ 30*50*70	5.060424	6	84	425
109	□ 30*50*80	5.804604	6	84	488
110	□ 30*50*90	6.548784	6	84	550
111	□ 30*50*1.0	7.292964	6	84	613
112	□ 30*50*1.25	9.021534	6	84	758
113	□ 30*50*1.50	10.870209	6	84	913
114	□ 30*50*2.0	14.7894	6	84	1,242
115	□ 30*60*70	5.733012	6	72	413
116	□ 30*60*80	6.576102	6	72	473
117	□ 30*60*90	7.419192	6	72	534
118	□ 30*60*1.0	8.262282	6	72	595
119	□ 30*60*1.25	10.228236	6	72	736
120	□ 30*60*1.5	12.324186	6	72	887
121	□ 30*60*2.0	16.7676	6	72	1,207
122	□ 40*60*70	6.373572	6	70	446
123	□ 40*60*80	7.310862	6	70	512
124	□ 40*60*90	8.248152	6	70	577



Manufactured Products Metal Ovals



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
125	□ 40*60*1.0	9.185442	6	70	643
126	□ 40*60*1.25	11.377476	6	70	796
127	□ 40*60*1.50	13.708926	6	70	960
128	□ 40*60*2.0	18.6516	6	70	1,306
129	□ 50*50*70	6.373572	6	64	408
130	□ 50*50*80	7.310862	6	64	468
131	□ 50*50*90	8.248152	6	64	528
132	□ 50*50*1.0	9.185442	6	64	588
133	□ 50*50*1.25	11.377476	6	64	728
134	□ 50*50*1.50	13.708926	6	64	877
135	□ 50*50*2.0	18.6516	6	64	1,194
136	□ 60*60*70	7.654692	6	49	375
137	□ 60*60*80	8.780382	6	49	430
138	□ 60*60*90	9.906072	6	49	485
139	□ 60*60*1.0	11.031762	6	49	541
140	□ 60*60*1.25	13.675956	6	49	670
141	□ 60*60*1.50	16.478406	6	49	807
142	□ 60*60*2.0	22.4196	6	49	1,099
143	□ 40*80*70	7.654692	6	50	383
144	□ 40*80*80	8.780382	6	50	439
145	□ 40*80*90	9.906072	6	50	495
146	□ 40*80*1.0	11.031762	6	50	552
147	□ 40*80*1.25	13.675956	6	50	684
148	40*80*1.5	16.478406	6	50	824
149	40*80*2.0	22.4196	6	50	1,121

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعداد شاخه در بندیل	وزن بندیل (kg)
1	31*16*60	2.158122	6	170	367
2	31*16*70	2.530212	6	170	430
3	31*16*80	2.902302	6	170	493
4	31*16*90	3.274392	6	170	557
5	31*16*1.0	3.646482	6	170	620
6	31*16*1.25	4.482036	6	170	762
7	31*16*1.50	5.400486	6	170	918
8	31*16*2.0	7.3476	6	170	1,249
9	38*22*60	2.7318	6	128	350
10	38*22*70	3.2028	6	128	410
11	38*22*80	3.6738	6	128	470
12	38*22*90	4.1448	6	128	531
13	38*22*1.0	4.6158	6	128	591
14	38*22*1.25	5.631276	6	128	721
15	38*22*1.50	6.785226	6	128	869
16	38*22*2.0	9.2316	6	128	1,182
17	50*20*60	3.27816	6	128	420
18	50*20*70	3.84336	6	128	492
19	50*20*80	4.40856	6	128	564
20	50*20*90	4.97376	6	128	637
21	50*20*1.0	5.53896	6	128	709
22	50*20*1.25	6.837978	6	128	875
23	50*20*1.50	8.239203	6	128	1,055
24	50*20*2.0	11.1156	6	128	1,423
25	40*20*60	2.7318	6	128	350
26	40*20*70	3.2028	6	128	410
27	40*20*80	3.6738	6	128	470
28	40*20*90	4.1448	6	128	531
29	40*20*1.0	4.6158	6	128	591
30	40*20*1.25	5.631276	6	128	721
31	40*20*1.50	6.785226	6	128	869
32	40*20*2.0	9.2316	6	128	1,182



Manufactured Products Metal Profile



ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعدادشاخه در بندیل	وزن بندیل (kg)
1	507*60 T	4.316244	6	98	423
2	507*70 T	5.060424	6	98	496
3	507*80 T	5.804604	6	98	569
4	507*90 T	6.548784	6	98	642
5	507*1.0 T	7.292964	6	98	715
6	507*1.25 T	9.021534	6	98	884
7	507*1.50 T	10.870209	6	98	1,065
8	507*2.0 T	14.7894	6	98	1,449
9	508*60 Z	4.316244	6	105	453
10	508*70 Z	5.060424	6	105	531
11	508*80 Z	5.804604	6	105	609
12	508*90 Z	6.548784	6	105	688
13	508*1.0 Z	7.292964	6	105	766
14	508*1.25 Z	9.021534	6	105	947
15	508*1.50 Z	10.870209	6	105	1,141
16	508*2.0 Z	14.7894	6	105	1,553
17	509*60 L	4.316244	6	100	432
18	509*70 L	5.060424	6	100	506
19	509*80 L	5.804604	6	100	580
20	509*90 L	6.548784	6	100	655
21	509*1.0 L	7.292964	6	100	729
22	509*1.25 L	9.021534	6	100	902
23	509*1.50 L	10.870209	6	100	1,087
24	509*2.0 L	14.7894	6	100	1,479
25	602*0.6 URDON	5.081148	6	98	498
26	602*0.7 URDON	5.957208	6	98	584
27	602*0.8 URDON	6.833268	6	98	670
28	602*0.9 URDON	7.709328	6	98	756
29	602*1.0 URDON	8.585388	6	98	841
30	602*1.25 URDON	10.63047	6	98	1,042
31	602*1.5 URDON	12.808845	6	98	1,255
32	601*0.6 URDON	5.081148	6	108	549
33	601*0.7 URDON	5.957208	6	108	643
34	601*0.8 URDON	6.833268	6	108	738
35	601*0.9 URDON	7.709328	6	108	833
36	601*1.0 URDON	8.585388	6	108	927
37	601*1.25 URDON	10.63047	6	108	1,148
38	601*1.5 URDON	12.808845	6	108	1,383
39	501*0.6 URDON	4.316244	6	99	427
40	501*0.7 URDON	5.060424	6	99	501
41	501*0.8 URDON	5.804604	6	99	575
42	501*0.9 URDON	6.548784	6	99	648

ردیف	مشخصات محصول	وزن شاخه	طول شاخه (متر)	تعدادشاخه در بندیل	وزن بندیل (kg)
43	501*1.0 URDON	7.292964	6	99	722
44	501*1.25 URDON	9.021534	6	99	893
45	501*1.5 URDON	10.870209	6	99	1,076
46	D 40*30*60	3.41475	6	80	273
47	D 40*30*70	4.0035	6	80	320
48	D 40*30*80	4.59225	6	80	367
49	D 40*30*90	5.181	6	80	414
50	D 40*30*1.0	5.76975	6	80	462
51	D 40*30*1.25	7.3005	6	80	584
52	D 40*30*1.5	8.585388	6	80	687
53	D 40*30*2.0	11.5866	6	80	927



+98 41 33 10 8000
www.ariasahandtabriz.com